



Safety Data Sheet

Issue Date: 27-Dec-2011

Revision Date: 03-Apr-2018

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Buckeye Status

Other means of identification

SDS # BE-5555-CA

Product Code 5555
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Furniture Polish, Water Based

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Initial Supplier Identifier

The Cleaning House
973 Barton St. E
Hamilton, ON L8L 3C4
905/547-2636

United States Supplier Address

Buckeye International, Inc.
2700 Wagner Place
Maryland Heights, MO 63043 USA
1-314-291-1900

24 hr Emergency Telephone Numbers

TRANSPORTATION - INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

MEDICAL - 1-651-632-8956 (International) 1-800-303-0441 (North America)

2. HAZARDS IDENTIFICATION

Appearance White opaque solution

Physical state Liquid

Odour Lemon

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Germ cell mutagenicity	Category 1A
Specific target organ toxicity (STOT) — repeated exposure	Category 1

Label Elements

Signal word

Danger

Hazard statements

Harmful if inhaled

May cause genetic defects

Causes damage to organs through prolonged or repeated exposure

**Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTRE or doctor if you feel unwell

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance**Mixture**

Chemical Name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Mineral Spirits (Rule 66)	8052-41-3	7	-	-
Hexylene glycol	107-41-5	6	-	-

4. FIRST AID MEASURES

First Aid Measures**General advice**

Provide this SDS to medical personnel for treatment.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician.

Skin contact

Wash off immediately with plenty of water for at least 15 minutes.

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Give two large glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.

Most important symptoms and effects

Symptoms	Harmful if inhaled. Causes mild skin irritation. Causes damage to organs through prolonged or repeated exposure.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Not determined.
Specific hazards arising from the chemical	No information available.
Hazardous Combustion Products	Carbon oxides. Silicon oxides.
Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required.
-----------------------------	--

Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information.
----------------------------------	---

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic. Dispose of all contaminated trash in accordance with local regulations.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapours/spray. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Protect from extreme temperatures. Keep locked up and out of reach of children.

Incompatible materials

Do not mix with chlorinated detergents (bleach)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Mineral Spirits (Rule 66) 8052-41-3	TWA: 100 ppm TWA: 572 mg/m ³	TWA: 290 mg/m ³ STEL: 580 mg/m ³	TWA: 525 mg/m ³	TWA: 100 ppm TWA: 525 mg/m ³
Hexylene glycol 107-41-5	Ceiling: 25 ppm Ceiling: 121 mg/m ³	Ceiling: 25 ppm	CEV: 25 ppm	Ceiling: 25 ppm Ceiling: 121 mg/m ³
Triethanolamine 102-71-6	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 0.5 ppm TWA: 3.1 mg/m ³	TWA: 5 mg/m ³

Appropriate engineering controls

Engineering controls

Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses or goggles to protect against exposure.

Skin and body protection

Wear protective gloves.

Respiratory protection

No protective equipment is needed under normal use conditions. If necessary, refer to appropriate regulations and standards.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	White opaque solution
Colour	White
Odour	Lemon
Odour Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	7.4 +/- 0.2	
Melting point / freezing point	Not determined	
Boiling Point / Boiling Range	100 °C / 212 °F	
Flash Point	None	
Evaporation Rate	1.0	(Water = 1)
Flammability (Solid, Gas)	Liquid- Not Applicable	
Flammability Limit in Air		
Upper Flammability Limit	Not determined	
Lower Flammability Limit	Not determined	
Vapour Pressure	Not determined	
Vapour Density	Not determined	
Relative Density	0.98	
Water Solubility	Miscible in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive properties	No information available.	
Oxidising properties	No information available.	

Other Information

Softening Point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk Density	No information available

10. STABILITY AND REACTIVITY

Reactivity	Not reactive under normal conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerisation	Hazardous polymerisation does not occur.
Conditions to Avoid	Keep out of reach of children.
Incompatible Materials	Do not mix with chlorinated detergents (bleach).
Hazardous Decomposition Products	Carbon oxides. Silicon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact	Avoid contact with eyes.
Skin contact	Causes mild skin irritation.
Inhalation	Harmful if inhaled.
Ingestion	Do not ingest.

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Numerical measures of toxicity

Not determined

Unknown acute toxicity No information available

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Polydimethylsiloxane 63148-62-9	> 24 g/kg (Rat) > 17 g/kg (Rat)	> 2 g/kg (Rabbit)	-
Hexylene glycol 107-41-5	= 3700 mg/kg (Rat)	= 12300 mg/kg (Rabbit) = 8560 µL/kg (Rabbit)	> 310 mg/m ³ (Rat) 1 h
Triethanolamine 102-71-6	= 4190 mg/kg (Rat)	> 20000 mg/kg (Rabbit) > 16 mL/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Triethanolamine 102-71-6	-	Group 3	-	-

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence/Degradability No information available.

Bioaccumulation No information available.

Mobility

Chemical Name	Partition Coefficient
Hexylene glycol 107-41-5	<0.14

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

15. REGULATORY INFORMATION

REGULATORY INFORMATION**International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Mineral Spirits (Rule 66)	X	X	X		X	X	X	X
Hexylene glycol	X	X	X	X	X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health Hazards 1	Flammability 0	Instability 0	Special Hazards Not determined
<u>HMIS</u>	Health Hazards Not determined	Flammability Not determined	Physical hazards Not determined	Personal Protection Not determined
<i>Chronic Hazard Star Legend</i>		* = Chronic Health Hazard		

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
 TWA TWA (time-weighted average)
 STEL STEL (Short Term Exposure Limit)
 Ceiling Maximum limit value
 * Skin designation
Issue Date: 27-Dec-2011

Revision Date: 03-Apr-2018

Revision Note: Canadian Format.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet