



# SAFETY DATA SHEET

Revision Date 03/08/2018

REVISION NUMBER: 5

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product name** AEROSOL, ZEN

### Other means of identification

**Product code** 251967

**UN/ID No.** 1950

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Air Freshener.

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

See Distributor information.

#### **Importer**

Rochester Midland Canada Corporation  
5353 John Lucas Drive  
Suite 103  
Burlington, ON L7L 6G5  
Canada

#### **Distributor**

Rochester Midland Corporation  
155 Paragon Drive  
Rochester, New York 14624 USA

### Emergency telephone number

#### **EMERGENCY TELEPHONE**

INFOTRAC: 1-800-535-5053  
OUTSIDE U.S.: +1-352-323-3500  
CANUTEC: 613-996-6666

## 2. HAZARDS IDENTIFICATION

### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)  
This chemical is considered hazardous by the WHMIS 2015 Hazardous Products Regulation.

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Flammable Aerosols	Category 1
Gases under pressure	Liquefied gas

### Label elements

#### **Emergency Overview**

**DANGER**

#### **Hazard statements**

Causes serious eye irritation  
May cause an allergic skin reaction

May cause drowsiness or dizziness  
 Extremely flammable aerosol  
 Contains gas under pressure; may explode if heated



**Appearance** No information available

**Physical state** Aerosol

**Odor** Pleasant fragrance as labeled.

#### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Contaminated work clothing should not be allowed out of the workplace  
 Use only outdoors or in a well-ventilated area  
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
 Do not spray on an open flame or other ignition source  
 Pressurized container: Do not pierce or burn, even after use  
 Wear protective gloves/protective clothing/eye protection/face protection

#### Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention  
 IF ON SKIN: Wash with plenty of soap and water  
 If skin irritation or rash occurs: Get medical advice/attention  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician if you feel unwell

#### Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed  
 Store locked up  
 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F  
 Protect from sunlight

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

No information available

#### Other Information

- Toxic to aquatic life with long lasting effects.
- Toxic to aquatic life.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS No.	%	TRADE SECRET
Acetone	67-64-1	60 - 80	
Butane	106-97-8	10 - 20	
Propane	74-98-6	10 - 20	
3,7-Dimethyl-1,6-Octadien-3-OL	78-70-6	< 1	

## 4. FIRST AID MEASURES

### First aid measures

<b>General advice</b>	Call a POISON CENTER or doctor/physician if you feel unwell.
<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Skin contact</b>	IF ON SKIN: Gently wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
<b>Inhalation</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
<b>Ingestion</b>	IF SWALLOWED: Clean mouth with water and drink afterwards plenty of water.

### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Suitable extinguishing media

Alcohol resistant foam. Water spray (fog). Dry chemical. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire.

### Specific hazards arising from the chemical

EXTREMELY FLAMMABLE. Contents under pressure. Pressurized container may explode when exposed to heat or flame.

### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk. Cool exposed containers with water spray. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Keep people away from and upwind of spill/leak. Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal Protection. Avoid breathing vapors or mists. Ventilate affected area. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

### Environmental precautions

**Environmental precautions** Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. Collect spillage. Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.

### Methods and material for containment and cleaning up

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Eliminate all ignition sources if safe to do so. Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal. Flush residue with water.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

<b>Advice on safe handling</b>	Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Contents under pressure. Never pierce, drill, grind, cut, saw or weld any empty container. All equipment used when handling the product must be grounded. Do not reuse container. Avoid breathing vapors or mists. Avoid contact with eyes. Avoid prolonged contact. Use only in well-ventilated areas.
--------------------------------	--

### Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Keep locked up and out of reach of children. Protect from sunlight. Keep at a temperature not exceeding 50 °C. Emptied containers may retain hazardous properties. Do not cut, puncture or weld on or near the container. Keep containers tightly closed in a dry, cool and well-ventilated place.
---------------------------	--

<b>Incompatible materials</b>	Acids. Strong oxidizing agents. Nitrates. Chlorine. Fluorine.
-------------------------------	---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

PRODUCT COMPOSITION	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	(vacated) STEL: 2400 mg/m <sup>3</sup> The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup>	2500 ppm
Butane 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	-
Propane 74-98-6	TWA: 1000 ppm	(vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>	2100 ppm

### Appropriate engineering controls

<b>ENGINEERING CONTROLS</b>	Showers Eyewash stations Ventilation systems.
-----------------------------	---

### Individual protection measures, such as personal protective equipment

<b>Eye/face protection</b>	Safety glasses are recommended to minimize eye contact.
<b>Skin and body protection</b>	Chemical resistant gloves are recommended to minimize skin contact. Appropriate protective clothing as needed to prevent skin contact. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.
<b>RESPIRATORY PROTECTION</b>	Not normally required. If mist or vapors in air exceed exposure limit, use NIOSH approved organic vapor respirator.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Aerosol	<b>Odor</b>	Pleasant fragrance as labeled.
<b>Appearance</b>	No information available	<b>Odor threshold</b>	No information available
<b>Color</b>	No information available	<b>Remarks • Method</b>	
<b>Property</b>	<b>Values</b>		
<b>pH</b>	Unknown		
<b>Melting point/freezing point</b>	No information available		
<b>Boiling point / boiling range</b>	56 °C / 133 °F		
<b>Flash point</b>	-104 °C / -156 °F		Estimated for propellant
<b>Evaporation rate</b>	No information available		
<b>Flammability (solid, gas)</b>	No information available		
<b>Flammability Limit in Air</b>			
<b>Upper flammability limit:</b>	9.5%		
<b>Lower flammability limit:</b>	1.9%		
<b>Vapor pressure</b>	No information available		
<b>Vapor density</b>	No information available		
<b>Specific gravity</b>	0.148		
<b>Water solubility</b>	No information available		
<b>Solubility in other solvents</b>	No information available		
<b>Partition coefficient</b>	No information available		
<b>Autoignition temperature</b>	No information available		
<b>Decomposition temperature</b>	No information available		
<b>Kinematic viscosity</b>	No information available		
<b>Dynamic viscosity</b>	No information available		
<b>Explosive properties</b>	No information available		
<b>Oxidizing properties</b>	No information available		

### Other Information

<b>Softening point</b>	No information available
<b>VOC (EPA METH.24) (G/L):</b>	281.7
<b>Density</b>	0.15 g/cm <sup>3</sup>
<b>Bulk density</b>	No information available

## 10. STABILITY AND REACTIVITY

### REACTIVITY

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

### Incompatible materials

Acids. Strong oxidizing agents. Nitrates. Chlorine. Fluorine.

### Hazardous Decomposition Products

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

<b>Product Information</b>	Serious eye damage/eye irritation.
<b>Inhalation</b>	May cause drowsiness or dizziness. May cause irritation.
<b>Eye contact</b>	Severely irritating to eyes.
<b>Skin contact</b>	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
<b>Ingestion</b>	No data available.

PRODUCT COMPOSITION	Oral LD50	Dermal LD50	Inhalation LC50
Acetone 67-64-1	-	-	= 50100 mg/m <sup>3</sup> ( Rat ) 8 h
Butane 106-97-8	-	-	= 658 g/m <sup>3</sup> ( Rat ) 4 h
Propane 74-98-6	-	-	= 658 mg/L ( Rat ) 4 h

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Sensitization</b>	May cause sensitization by skin contact.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive Toxicity</b>	No information available.
<b>STOT - single exposure</b>	Central nervous system.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

### Numerical measures of toxicity - Product Information

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

PRODUCT COMPOSITION	Algae/aquatic plants	Fish	Crustacea
Acetone 67-64-1	-	8300: 96 h Lepomis macrochirus mg/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50	12600 - 12700: 48 h Daphnia magna mg/L EC50 10294 - 17704: 48 h Daphnia magna mg/L EC50 Static
3,7-Dimethyl-1,6-Octadien-3-OL 78-70-6	88.3: 96 h Desmodesmus subspicatus mg/L EC50	-	20: 48 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

### Bioaccumulation

No information available.

PRODUCT COMPOSITION	Partition coefficient
Acetone	-0.24

67-64-1	
Butane 106-97-8	2.89
Propane 74-98-6	2.8
3,7-Dimethyl-1,6-Octadien-3-OL 78-70-6	3.1

**Other adverse effects** No information available

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Pressurized container: Do not pierce or burn, even after use. Do not reuse container.

### 14. TRANSPORT INFORMATION

#### DEPT. OF TRANSPORTATION

**UN/ID No.** 1950  
**Proper shipping name** AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)  
**Hazard Class** 2.1  
**Packing Group** NA  
**Description** 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

#### TDG

**UN/ID No.** 1950  
**Proper shipping name** AEROSOLS, FLAMMABLE (each not exceeding 1 L capacity)  
**Hazard Class** 2.1  
**Packing Group** NA  
**Description** 1 Liter (0.26 Gallons) and Less may be classed as LTD. QTY.

### 15. REGULATORY INFORMATION

#### International Inventories

**TSCA** Complies  
**DSL/NDSL** Complies  
**EINECS/ELINCS** Complies  
**ENCS** Complies  
**IECSC** Complies  
**KECL** Complies  
**PICCS** Complies  
**AICS** Complies

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances  
 KECL - Korean Existing and Evaluated Chemical Substances  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD	YES
CHRONIC HEALTH HAZARD	No
FIRE HAZARD	YES
Sudden release of pressure hazard	YES
REACTIVE HAZARD	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION	Hazardous Substances RQs (in LBS)	U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
Acetone 67-64-1	5000	

### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION	NJRTK:	MARTK:	PARTK:
Acetone 67-64-1	0006	Listed	Listed
Butane 106-97-8	0273	Listed	Listed
Propane 74-98-6	1594	Listed	Listed

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. OTHER INFORMATION

#### NFPA

Health hazards 1

Flammability 4

Instability 0

Physical and Chemical Properties -

#### HMIS

Health hazards 1

Flammability 4

Physical hazards 0

Personal protection B



Revision Date 03/08/2018

**Revision Note**

The hazards have been revised based on new supplier information.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**\*\*\* END OF SDS \*\*\***